


# The ultimate in wrapped bale protection.



- Suitable for use on round and square bales
- High tack level for excellent sealing between layers
- Consistently high performance in all weather conditions
- Uniform appearance at all stages of the wrapping process
- Backed by an experienced sales and technical team

Since Polycrop was launched it has become firmly established with farmers and contractors alike. Trouble-free wrapping on both round and square balers, high tack level and consistent quality is what makes it excellent protection for silage bales during the long winter storage months.

***POLYCROP***<sup>®</sup>



## Proven Protection for Wrapped Bales

### Strength

We understand that characteristics such as high stretch strength and tear resistance are vital, particularly on high speed, square and combination bale wrappers. Such qualities are built into Polycrop to ensure effective bale wrapping, time and time again.

### High Puncture Resistance

Lower quality films can be prone to puncturing, despite the fact that modern bale wrappers and handlers are designed to handle bales with maximum care. With this in mind, Polycrop has been formulated to provide better puncture resistance.

### High Tack Characteristics

One of the main functions of a successful balewrap film is that it should provide an effective air barrier and prevent leakage of any silage juices. Polycrop's unique tack characteristics provide instant adherence of film layers and deliver a secondary tack that produces a superb bond between layers during storage. This same high tack also helps to eliminate long tails by ensuring that cut ends adhere quickly to the bale.

### A Film for all Climates

Polycrop is manufactured to withstand the various climatic conditions of the world. This ensures that wherever it is used, it can withstand what are often extremely high levels of UV radiation, keeping the bales safe and secure during the storage period.

### Working Together

We are committed to continually improve the performance of balewrap film by harnessing the latest polyethylene manufacturing techniques. In addition we undertake comprehensive consultation, research and field trial programmes involving farmers, contractors and agricultural research facilities. As a result, Polycrop customers not only benefit from the latest balewrap technology, but also the expert advice and after-sales service from our team of bale wrap specialists.

### Technical specifications for standard products

Roll Width	Colour	Roll length	Film thickness
20" (500mm)	White	6000 feet (1800m)	1 mil (25µ)
30" (750mm)	White	5000 feet (1500m)	1 mil (25µ)

AT Films Inc.  
4405-101 Avenue,  
P.O. Box 428,  
Edmonton,  
AB T5J 2K1  
Tel: (780) 450-7760  
Fax: (780) 450-7777  
Toll free: 1-800-661-3606  
Email: [info@atfilmsinc.com](mailto:info@atfilmsinc.com)  
[www.atfilmsinc.com](http://www.atfilmsinc.com)

**POLYCROP<sup>®</sup>**